


MYSTIFYING GLASS
LIKE NONE OTHER

TRENDTM
GLASS LAMINATES




TRENDTM
GLASS LAMINATES





REDEFINING
THE ELEMENTARY
GLASS FOR
YOUR INTERIORS





TRENDTM
GLASS LAMINATES

Home is where the heart is. And we at Trend want it to be perfect.

Which is why, Trend introduces Glass Laminates – premium solid acrylic sheets in stunningly varied colours.

Designed to infuse amazingly polished surroundings to your spaces, with Trend Glass Laminates you can explore a vast spectrum of colours and unmatched flexibility to match every design space you can imagine.

Easy to clean, easy to maintain and functionally appealing, the Trend Glass Laminates help realise your dream inspirations to the fullest.

So pick any of the shades, textures, styles or shapes from Trend Glass Laminates and experience warmth, appeal and luxury to the utmost combination.



GLASS LAMINATES




GL 7101



GL 7102



GL 7103



GL 7104



GL 7105



GL 7106



GL 7107



GL 7108

SPECIFICATIONS

Savings

Time and Cost: Trend Glass Laminates saves time and money, because you do not need to lay individual tiles or use any grouting - and time is money on any project. Trend Glass Laminates is lightweight, easy to handle and can be cut, drilled, and shaped on site unlike other materials such as glass panels.

Freight and Packaging: Costs are reduced because of Trend Glass Laminates that are low weight, allowing for more shipping and transport options. Less energy is used for cartage, plus it's easier to handle and move around with less chance of breakage.

Maintenance: Being completely inert with an impervious surface, bacteria and mold do not permeate the sheet. Surface contaminants are simply wiped away with mild soap and water - delivering a significant saving in labor and chemicals use over the life of the installation.

Cleaning and refinishing

Trend Glass Laminates is easy to clean using mild soap, warm water and a soft microfiber cloth or chamois. Strong chemicals are not required. It is waterproof, impervious ultra-hygienic surface. Minor scratching and scuffing can be easily removed by hand with selected liquid polishes and a microfiber cloth. More severe scratches or damage can be removed by mechanical buffing using a cutting compound and woolen buff at a slow speed.

Installation

The installation system uses a combination of double sided-tape and neutral cure silicone. Allowance for thermal movement is important and 3mm (1/8") per 1000mm (40") is adequate in most situations. Joints can be left open, sealed with neutral cure silicone.

Performance

Trend Glass Laminates is a proven performer because it has two layers of acrylic fused into one (a color layer and a clear layer). This means the color is not thin, inconsistent or patchy layer of paint. The color layer is permanently fused to the clear acrylic and will not separate unlike glass and other painted high gloss sheet products. Minor scratches to the color layer will not show through to the clear side.

Environment

Trend Glass Laminates is designed to have minimal impact on the environment. The manufacturing process does not release any harmful emissions to air, land or water. Trend Glass Laminates is hygienic and does not promote bacterial growth or transmission making it ideal for food outlets, high traffic areas and public spaces.

Bathrooms

Trend Glass Laminates features a high performance coating layer and is designed for more demanding environments including shower and bathroom walls, high traffic areas and public amenities. The ultra clear third layer dramatically enhances the chemical and scratch resistance. Contact your distributor for availability in your region.

Warnings

- Trend Glass Laminates is designed for interior, vertical use only.
- Trend Glass Laminates panels are thermoplastic and will expand and contract with temperature and therefore will perform best in temperature controlled environments with recommended expansion gaps.
- Avoid use in areas exposed to intense direct sunlight such as adjacent to skylights or large unshaded windows.

Trend Panel Size

2440mm x 1220mm x 2.5mm





MARKETED BY: TCS MARKETING

2/84 W.H.S. Kirti Nagar, New Delhi-110015(INDIA), Tel. +91 11 43282047

E-mail: info@trendpvc.com, Customer Care No. - 011-32922222

EDGE BANDING TAPE | ACRYLIC HI-GLOSS LAMINATES | KOREAN CHARCOAL PANELS | PVC FLEX HIGH GLOSS LAMINATES
WPC & PVC BOARDS | HIGH DEFINITION DIGITAL LAMINATES | WEIYA STONE (ALABASTER SHEET)
DECORATIVE MDF | PLYWOOD & FLUSH DOOR | 2D & 3D PVC PANEL | PVC FABRIC PREMIUM LAMINATES | GLASS LAMINATES